

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Safety data sheet according to Regulation (EC) 2020/878

Revision date 26/10/2023

# Revision Number 3.03

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier						
Product Name	Electrolube IPA Cleaning Wipes x100					
Product Code(s)	EIPA100, ZE					
Safety data sheet number	00357					
Unique Formula Identifier (UFI)	XNY0-1037-600J-7FPY					
Pure substance/mixture	Mixture					
1.2. Relevant identified uses of the	substance or mixture and uses advised against					
Recommended use	Cleaning agent					
Uses advised against	No specific uses advised against are identified					
1.3. Details of the supplier of the sa	fety data sheet					
<u>Manufacturer</u>	Supplier					
ELECTROLUBE MacDermid Alpha Electronics Solution ASHBY PARK, COALFIELD WAY, ASHBY DE LA ZOUCH, LEICESTERSHIRE LE65 1JR UNITED KINGDOM +44 (0)1530 419600 +44 (0)1530 416640 info@electrolube.com	HK WENTWORTH LIMITED 32 RUE DE TOURNENFILS 91540 MENNECY FRANCE +33 (0) 1 82 88 47 94 info@electrolube.com					
For further information, please contact	t					
E-mail address	info@electrolube.com					
1.4. Emergency telephone number	_					
Emergency Telephone	POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)					
Emergency Telephone - IN CASE (	DF EMERGENCY CALL: +44 1865 407333 (24hr, Provided by Carechem 24)					
SECTION 2: Hazards ident	ification					

# 2.1. Classification of the substance or mixture

Classification according to

# Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids	Category 2 - (H225)
Serious eye damage/eye irritation	Category 2 - (H319)
Specific target organ toxicity — single exposure	Category 3 - (H336)
Category 3 Narcotic effects	

# 2.2. Label elements

Contains Propan-2-ol



Signal word Danger

#### Hazard statements

- H225 Highly flammable liquid and vapour
- H319 Causes serious eye irritation

H336 - May cause drowsiness or dizziness

# Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 - Avoid breathing vapours/spray.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403 + P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

# 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

# SECTION 3: Composition/information on ingredients

# 3.1 Substances

Not applicable

# 3.2 Mixtures

Chemical name	Weight-%	REACH registration	EC No (EU	Classification according	Specific	M-Factor	M-Factor
		number	Index No)	to Regulation (EC) No.	concentration		(long-term)
				1272/2008 [CLP]	limit (SCL)		
Propan-2-ol	60-100	01-2119457558-25-00	200-661-7	Eye Irrit. 2 (H319)	-	-	-
67-63-0		00		STOT SE 3 (H336)			

		Flam. Liq. 2 (H225)		

# Full text of H- and EUH-phrases: see section 16

SECTION 4: First aid measures

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First and meas	
4.1. Description of first aid measure	<u>es</u>
General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Effects of Exposure	No information available.
4.3. Indication of any immediate me	dical attention and special treatment needed
Note to doctors	Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards arising from the chemical	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
6.3. Methods and material for contai	nment and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information. See section 13 for more information.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use

	grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

## 7.3. Specific end use(s)

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Propan-2-ol	-	TWA: 200 ppm	TWA: 200 ppm	STEL: 1225.0 mg/m <sup>3</sup>	TWA: 400 ppm
67-63-0		TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980.0 mg/m <sup>3</sup>	TWA: 999 mg/m <sup>3</sup>
		STEL 800 ppm	STEL: 400 ppm		STEL: 500 ppm
		STEL 2000 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>		STEL: 1250 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Propan-2-ol	-	TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 150 ppm	TWA: 200 ppm
67-63-0		Ceiling: 1000 mg/m <sup>3</sup>	TWA: 490 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
		D*	STEL: 400 ppm	STEL: 250 ppm	STEL: 250 ppm
			STEL: 980 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 620 mg/m <sup>3</sup>
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Propan-2-ol	STEL: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 500 mg/m <sup>3</sup>
67-63-0	STEL: 980 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 980 mg/m <sup>3</sup>	TWA: 200 ppm
			Peak: 400 ppm	STEL: 500 ppm	STEL: 1000 mg/m <sup>3</sup>
			Peak: 1000 mg/m <sup>3</sup>	STEL: 1225 mg/m <sup>3</sup>	STEL: 400 ppm
					b*
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Propan-2-ol	TWA: 200 ppm	-	TWA: 200 ppm	TWA: 350 mg/m <sup>3</sup>	STEL: 250 ppm
67-63-0	STEL: 400 ppm		TWA: 492 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>	STEL: 600 mg/m <sup>3</sup>
	Sk*		STEL: 400 ppm		TWA: 150 ppm
			STEL: 983 mg/m <sup>3</sup>		TWA: 350 mg/m <sup>3</sup>
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Propan-2-ol	-	-	-	TWA: 100 ppm	STEL: 1200 mg/m <sup>3</sup>
67-63-0				TWA: 245 mg/m <sup>3</sup>	TWA: 900 mg/m <sup>3</sup>

						150 ppm	skóra*
					STEL: 30	)6.25 mg/m <sup>3</sup>	
Chemical name		Portugal	Romania	Slovakia	Slo	ovenia	Spain
Propan-2-ol	ΤW	A: 200 ppm	TWA: 81 ppm	TWA: 200 ppm	TWA:	200 ppm	TWA: 200 ppm
67-63-0	STE	L: 400 ppm	TWA: 200 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>	TWA: 5	500 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup>
		STEL: 203 pp		Ceiling: 1000 mg/m <sup>3</sup>	STEL: 400 ppm		STEL: 400 ppm
			STEL: 500 mg/m <sup>3</sup>		STEL: 1	000 mg/m <sup>3</sup>	STEL: 1000 mg/m <sup>3</sup>
Chemical name		SI	weden	Switzerland	Switzerland		ted Kingdom
Propan-2-ol		Vägledande	e KGV: 250 ppm	TWA: 200 ppr	TWA: 200 ppm		/A: 400 ppm
67-63-0		Vägledande	KGV: 600 mg/m <sup>3</sup>	TWA: 500 mg/r	n <sup>3</sup>	TW	A: 999 mg/m <sup>3</sup>
		NGV: 150 ppm		STEL: 400 ppm		ST	EL: 500 ppm
		NGV: 3	350 mg/m <sup>3</sup>	STEL: 1000 mg/	/m³	STE	L: 1250 mg/m <sup>3</sup>

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulg	garia	Croatia		Czech Republic
Propan-2-ol	-	-		-	50 mg/L - blo		-
67-63-0					(Acetone) - at		
					end of the work		
					50 mg/L - uri		
					(Acetone) - at		
					end of the work	: shift	
Chemical name	Denmark	Finland	Fra	nce	Germany DF		Germany TRGS
Propan-2-ol	-	-		-	25 mg/L (who		25 mg/L (whole
67-63-0					blood - Acetone	e end	blood - Acetone end
					of shift)		of shift)
					25 mg/L (urin		25 mg/L (urine -
					Acetone end of	shift)	Acetone end of shift)
					25 mg/L - BAT	(end	
					of exposure or		
					of shift) urin		
					25 mg/L - BAT		
					of exposure or		
					of shift) bloc	bd	
Chemical name	Hungary	Irelan	-		/ MDLPS		Italy AIDII
Propan-2-ol	-	40 mg/L (urine			-		g/L - urine (Acetone)
67-63-0		end of shift a	t end of			- er	nd of shift at end of
		workwe	ek)				workweek
Chemical name	Latvia	Luxembo	burg		omania		Slovakia
Propan-2-ol	-	-		50 mg/L -	urine (Acetone)		-
67-63-0				- er	nd of shift		
Chemical name	Slovenia	Spair	n	Sw	itzerland	l	United Kingdom
Propan-2-ol	25 mg/L - blood (Acetone)				urine - Acetone		-
67-63-0	- at the end of the work	end of work	week)	enc	d of shift)		
	shift			0.4 mn	nol/L (urine -		
	25 mg/L - urine (Acetone)				e end of shift)		
	- at the end of the work			25 mg/L	(whole blood -		
	shift				e end of shift)		
				0.4 mmol/	L (whole blood -		
				Acetone	e end of shift)		

# Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m³ [4] [6]

# Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m³ [4] [6]

# Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-

Chemical name	Freshwater	Marine sediment	Sewage treatment	Soil	Food chain
	sediment				
Propan-2-ol	552 mg/kg sediment	552 mg/kg sediment	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
67-63-0	dw	dw	-		

# 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas.
Personal protective equipment	
Eye/face protection	Tight sealing safety goggles.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Environmental exposure controls	No information available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical propertiesPhysical stateLiquidAppearanceLiquid-impregnated wipeColourColourless

Odour Odour threshold	Characteristic. No information available	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling rang Flammability Flammability Limit in Air Upper flammability or explosive limits Lower flammability or explosive	<u>Values</u> No data available peNo data available No data available No data available No data available	Remarks • Method None known None known None known None known
limits Flash point Autoignition temperature Decomposition temperature pH pH (as aqueous solution) Kinematic viscosity Dynamic viscosity Water solubility Solubility(ies) Partition coefficient Vapour pressure Relative density Bulk density Liquid Density Relative vapour density	No data available No data available No data available No data available No data available No data available Miscible in water No data available No data available	None known None known None known None known None known None known None known None known None known None known
Particle characteristics Particle Size Particle Size Distribution	No information available No information available	

# 9.2. Other information

9.2.1. Information with regards to physical hazard classes

Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidizing.

9.2.2. Other safety characteristics No information available

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactivity

No information available.

10.2. Chemical stability

Stability

Stable under normal conditions.

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

# 10.4. Conditions to avoid

Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

# **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Acute toxicity

Numerical measures of toxicity No information available

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	5,798.60 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propan-2-ol	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat)6 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Skin corrosion/irritation May cause skin irritation. Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT - single exposure	May cause drowsiness or dizziness.
STOT - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2. Information on other hazard	<u>S</u>
11.2.1. Endocrine disrupting prop	erties
Endocrine disrupting properties	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
11.2.2. Other information	
Other adverse effects	No information available.

# **SECTION 12: Ecological information**

|--|

# Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >1400000µg/L (96h, Lepomis macrochirus)		EC50: =13299mg/L (48h, Daphnia magna)

# 12.2. Persistence and degradability

Persistence and degradability No information available.

# 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

Chemical name	Partition coefficient
Propan-2-ol	0.05

# 12.4. Mobility in soil

Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

The product does not contain any substance(s) classified as PBT or vPvB above the threshold of declaration.

Chemical name	PBT and vPvB assessment	
Propan-2-ol	The substance is not PBT / vPvB	

# 12.6. Endocrine disrupting properties

# 12.7. Other adverse effects

No information available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

# **SECTION 14: Transport information**

# ΙΑΤΑ

<ul> <li>14.1 UN number or ID number</li> <li>14.2 UN proper shipping name</li> <li>14.3 Transport hazard class(es)</li> <li>14.4 Packing group Description</li> <li>14.5 Environmental hazards</li> <li>14.6 Special precautions for user Special Provisions ERG Code</li> </ul>	UN3175 Solids containing flammable liquid, n.o.s. (Propan-2-ol) 4.1 II UN3175, Solids containing flammable liquid, n.o.s. (Propan-2-ol), 4.1, II Not applicable A46 3L
IMDG 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards	UN3175 Solids containing flammable liquid, n.o.s. (Propan-2-ol) 4.1 II UN3175, Solids containing flammable liquid, n.o.s. (Propan-2-ol), 4.1, II Not applicable

**Endocrine disrupting properties** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

<ul> <li>14.6 Special precautions for user Special Provisions EmS-No</li> <li>14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	216, 274 F-A, S-I No information available
RID14.1UN number or ID number14.2UN proper shipping name14.3Transport hazard class(es)14.4Packing groupDescription14.5Environmental hazards14.6Special precautions for userSpecial ProvisionsClassification code	UN3175 Solids containing flammable liquid, n.o.s. (Propan-2-ol) 4.1 II UN3175, Solids containing flammable liquid, n.o.s. (Propan-2-ol), 4.1, II Not applicable 216, 274, 601 F1
ADR 14.1 UN number or ID number 14.2 UN proper shipping name 14.3 Transport hazard class(es) 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special precautions for user Special Provisions Classification code Tunnel restriction code	UN3175 Solids containing flammable liquid, n.o.s. (Propan-2-ol) 4.1 II UN3175, Solids containing flammable liquid, n.o.s. (Propan-2-ol), 4.1, II, (E) Not applicable 216, 274, 601 F1 (E)

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
Propan-2-ol - 67-63-0	RG 84

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

# Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-

# **Persistent Organic Pollutants**

Not applicable

#### Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended
	for direct application to humans or animals Product-type 4:
	Food and feed area Product-type 1: Human hygiene

International Inventories	
TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status

Legend:

In the second large all large sector all and

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

**NZIOC** - New Zealand Inventory of Chemicals

# 15.2. Chemical safety assessment

Chemical Safety Report

No information available

# **SECTION 16: Other information**

# Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapour

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

Legend

SVHC: Substances of Very High Concern for Authorisation:

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used		
Acute oral toxicity	Calculation method		
Acute dermal toxicity	Calculation method		

Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable liquids	On basis of test data

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC) European Chemicals Agency (ECHA) (ECHA API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date 26/10/2023

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**